



# OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on March 20, 2017.

**WL Plastics Corporation**  
**3575 Lone Star Circle**  
**Suite 300**  
**Fort Worth, TX 76177**  
**682-831-2727**

**Facility: Cedar City, UT**

### Gas Applications - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe	PE 4710	WL Plastics	ASTM D2513
1/2" IPS DR 9.33			
1/2" IPS DR 11			
3/4" IPS DR 11			
3/4" IPS Sch 40			
1" IPS DR 9.33			
1" IPS DR 9.9			
1" IPS DR 11			
1" IPS DR 13.5			
1 1/4" IPS DR 6			
1 1/4" IPS DR 9.33			
1 1/4" IPS DR 10			
1 1/4" IPS DR 11			
1 1/4" IPS DR 13.5			
1 1/4" IPS DR 17			
1 1/4" IPS Sch 40			
1 1/2" IPS DR 11			
1 1/2" IPS DR 13.5			
1 1/2" IPS DR 17			
1 1/2" IPS Sch 40			
2" IPS DR 9.33			
2" IPS DR 11			
2" IPS DR 13.5			
2" IPS DR 17			
2" IPS DR 21			
2" IPS Sch 40			
2 1/2" IPS DR 11			
2 1/2" IPS DR 13.5			
2 1/2" IPS DR 17			
2 1/2" IPS DR 21			
3" IPS DR 9.33			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3" IPS DR 11  
3" IPS DR 13.5  
3" IPS DR 17  
3" IPS DR 21  
3" IPS Sch 40  
3 1/2" IPS DR 11  
3 1/2" IPS DR 13.5  
3 1/2" IPS DR 17  
3 1/2" IPS DR 21  
4" IPS DR 9.33  
4" IPS DR 11  
4" IPS DR 11.5  
4" IPS DR 13.5  
4" IPS DR 17  
4" IPS DR 17  
4" IPS DR 21  
5" IPS DR 11  
5" IPS DR 13.5  
5" IPS DR 17  
5" IPS DR 21  
5" IPS DR 21.6  
6" IPS DR 11  
6" IPS DR 11.5  
6" IPS DR 13.5  
6" IPS DR 17  
6" IPS DR 21  
6" IPS DR 23.7  
6" IPS DR 26  
6" IPS DR 32.5  
7" IPS DR 11  
7" IPS DR 11.5  
7" IPS DR 13.5  
7" IPS DR 17  
7" IPS DR 21  
7" IPS DR 26  
7" IPS DR 32.5  
10" IPS DR 13.5  
10" IPS DR 17  
10" IPS DR 21  
10" IPS DR 26  
10" IPS DR 32.5  
12" IPS DR 17  
12" IPS DR 21  
12" IPS DR 26  
12" IPS DR 32.5  
14" IPS DR 17  
14" IPS DR 21

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



14" IPS DR 26  
 14" IPS DR 32.5  
 16" IPS DR 21  
 16" IPS DR 26  
 16" IPS DR 32.5  
 18" IPS DR 21  
 18" IPS DR 26  
 18" IPS DR 32.5  
 20" IPS DR 26  
 20" IPS DR 32.5  
 22" IPS DR 26  
 22" IPS DR 32.5  
 24" IPS DR 32.5

Pipe # ¢

PE 4710

WL Plastics

CSA B137.4

1/2" IPS DR 8.8  
 18" IPS DR 21  
 1/2" IPS DR 13.5  
 1/2" IPS DR 17  
 1/2" IPS DR 21  
 3/4" IPS DR 8.8  
 3/4" IPS DR 11  
 3/4" IPS DR 13.5  
 3/4" IPS DR 17  
 3/4" IPS DR 21  
 1" IPS DR 8.8  
 1" IPS DR 11  
 1" IPS DR 13.5  
 1" IPS DR 17  
 1" IPS DR 21  
 1 1/4" IPS DR 8.8  
 1 1/4" IPS DR 11  
 1 1/4" IPS DR 13.5  
 1 1/4" IPS DR 17  
 1 1/4" IPS DR 21  
 1 1/2" IPS DR 8.8  
 1 1/2" IPS DR 11  
 1 1/2" IPS DR 13.5  
 1 1/2" IPS DR 17  
 1 1/2" IPS DR 21  
 2" IPS DR 8.8  
 2" IPS DR 11  
 2" IPS DR 13.5  
 2" IPS DR 17  
 2" IPS DR 21  
 2 1/2" IPS DR 8.8  
 2 1/2" IPS DR 11  
 2 1/2" IPS DR 13.5

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 2 1/2" IPS DR 17
- 2 1/2" IPS DR 21
- 3" IPS DR 8.8
- 3" IPS DR 11
- 3" IPS DR 13.5
- 3" IPS DR 17
- 3" IPS DR 21
- 4" IPS DR 8.8
- 4" IPS DR 11
- 4" IPS DR 13.5
- 4" IPS DR 17
- 4" IPS DR 21
- 6" IPS DR 8.8
- 6" IPS DR 11
- 6" IPS DR 13.5
- 6" IPS DR 17
- 6" IPS DR 21
- 8" IPS DR 11
- 8" IPS DR 13.5
- 8" IPS DR 17
- 8" IPS DR 21
- 10" IPS DR 13.5
- 10" IPS DR 17
- 10" IPS DR 21
- 12" IPS DR 17
- 12" IPS DR 21
- 14" IPS DR 17
- 14" IPS DR 21
- 16" IPS DR 21
- 1/2" IPS DR 11

# Squeeze-off test performed in accordance with NSF Deviation, based on CSA B137 Technical Committee project P-15-08 to modify the squeeze-off testing requirements of CSA B137.4.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe <sup>¢</sup> [G]	PE 4710	WL Plastics UT / WLP UT	ASTM D3035
1/2" - 24"	DR 7		
1/2" - 36"	DR 9		
1/2" - 36"	DR 9.3		
1/2" - 36"	DR 11		
1/2" - 42"	DR 13		
1/2" - 48"	DR 15.5		
1/2" - 54"	DR 17		
1/2" - 54"	DR 21		
1/2" - 54"	DR 26		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/2" - 54"	DR 32.5			
Pipe + $\phi$ [G]		PE 4710	WL Plastics UT / WLP UT	AWWA C901
1/2" - 3"	SDR 7			
1/2" - 3"	SDR 7.3			
1/2" - 3"	SDR 9			
1/2" - 3"	SDR 11			
3/4" - 3"	SDR 13.5			
2" - 3"	SDR 17			
2" - 3"	SDR 21			
Pipe * + $\phi$ [G]		PE 3408/PE 4710	WL Plastics UT / WLP UT	AWWA C906
4" - 24"	DR 7			
4" - 24"	DR 7.3			
4" - 36"	DR 9			
4" - 36"	DR 9.3			
4" - 36"	DR 11			
4" - 42"	DR 13.5			
4" - 48"	DR 15.5			
4" - 54"	DR 17			
4" - 54"	DR 21			
4" - 54"	DR 26			
4" - 54"	DR 32.5			
Pipe + $\phi$ [G]		PE 4710	WL Plastics UT / WLP UT	ASTM F714
3" - 24"	DR 7			
3" - 24"	DR 7.3			
3" - 24"	DR 8.3			
3" - 36"	DR 9			
3" - 36"	DR 9.3			
3" - 36"	DR 11			
3" - 42"	DR 13.5			
3" - 48"	DR 15.5			
3" - 54"	DR 17			
3" - 54"	DR 21			
3" - 54"	DR 26			
3" - 54"	DR 32.5			
3" - 54"	DR 41			
Pipe + $\phi$ [G]		PE 4710	WL Plastics UT / WLP UT	CSA B137.1
2" - 6" Series 50				
2" - 6" Series 60				
2" - 6" Series 75				
2" - 6" Series 80				
2" - 6" Series 100				
2" - 6" Series 125				
2" - 6" Series 200				

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



\* These products also meet the requirements for PE 3408 per ASTM D3350-02a.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility: Elizabethtown, KY

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe + ¢ [G]	PE 4710	WL Plastics KY / WLP KY	ASTM D3035
1/2" - 24" DR 7			
1/2" - 24" DR 9			
1/2" - 24" DR 9.3			
1/2" - 24" DR 11			
1/2" - 24" DR 13.5			
1/2" - 24" DR 15.5			
1/2" - 24" DR 17			
1/2" - 24" DR 21			
1/2" - 24" DR 26			
1/2" - 24" DR 32.5			
Pipe + ¢ [G]	PE 4710	WL Plastics KY / WLP KY	AWWA C901
1/2" - 3" SDR 7			
1/2" - 3" SDR 7.3			
1/2" - 3" SDR 9			
1/2" - 3" SDR 11			
3/4" - 3" SDR 13.5			
2" - 3" SDR 17			
2" - 3" SDR 21			
Pipe* + ¢ [G]	PE 3408/PE 4710	WL Plastics KY / WLP KY	AWWA C906
4" - 24" DR 7			
4" - 21 1/2" DR 7.3			
4" - 26" DR 9			
4" - 26" DR 9.3			
4" - 32" DR 11			
4" - 32" DR 13.5			
4" - 32" DR 15.5			
4" - 32" DR 17			
4" - 32" DR 21			
4" - 32" DR 26			
4" - 32" DR 32.5			
Pipe + ¢ [G]	PE 4710	WL Plastics KY / WLP KY	ASTM F714

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3" - 24" DR 7  
 3" - 18" DR 7.3  
 3" - 20" DR 8.3  
 3" - 24" DR 9  
 3" - 30" DR 9.3  
 3" - 32" DR 11  
 3" - 32" DR 13.5  
 3" - 32" DR 15.5  
 3" - 32" DR 17  
 3" - 32" DR 21  
 3" - 32" DR 26  
 3" - 32" DR 32.5  
 3" - 32" DR 41

Pipe<sup>+</sup> † ‡ [G] PE 4710 WL Plastics KY / WLP KY CSA B137.1

2" - 6" Series 50  
 2" - 6" Series 60  
 2" - 6" Series 75  
 2" - 6" Series 80  
 2" - 6" Series 100  
 2" - 6" Series 125  
 2" - 6" Series 200

\* These products also meet the requirements for PE 3408 per ASTM D3350-02a.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

‡ Product is authorized to bear the cNSF and/or the cNSFus Mark.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

**Facility: Rapid City, SD**

**Potable Water - Pipe and Fittings**

Product Type	Material Type	Trade Name	Product Standard
Pipe <sup>+</sup> † ‡ [G]	PE 4710	WL Plastics SD / WLP SD	AWWA C901
1/2" - 3" SDR 7			
1/2" - 3" SDR 7.3			
1/2" - 3" SDR 9			
1/2" - 3" SDR 11			
1/2" - 3" SDR 13.5			
1/2" - 3" SDR 17			
1/2" - 3" SDR 21			
Pipe <sup>+</sup> † ‡ [G]	PE 3408/PE 4710	WL Plastics SD / WLP SD	AWWA C906
4" - 24" DR 7			
4" - 36" DR 7.3			
4" - 36" DR 9			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



4" - 36" DR 9.3  
 4" - 36" DR 11  
 4" - 36" DR 15.5  
 4" - 36" DR 17  
 4" - 36" DR 21  
 4" - 36" DR 13.5  
 4" - 36" DR 26  
 4" - 36" DR 32.5

Pipe <sup>+</sup> † [G]

PE 4710

WL Plastics SD /  
WLP SD

ASTM D3035

1/2" - 24" DR 7  
 1/2" - 24" DR 9  
 1/2" - 24" DR 9.3  
 1/2" - 24" DR 11  
 1/2" - 24" DR 13.5  
 1/2" - 24" DR 15.5  
 1/2" - 24" DR 17  
 1/2" - 24" DR 21  
 1/2" - 24" DR 26  
 1/2" - 24" DR 32.5

Pipe <sup>+</sup> † [G]

PE 4710

WL Plastics SD /  
WLP SD

ASTM F714

3" - 24" DR 7  
 3" - 36" DR 7.3  
 3" - 36" DR 8.3  
 3" - 36" DR 9  
 3" - 36" DR 9.3  
 3" - 36" DR 11  
 3" - 36" DR 13.5  
 3" - 36" DR 15.5  
 3" - 36" DR 17  
 3" - 36" DR 21  
 3" - 36" DR 26  
 3" - 36" DR 32.5  
 3" - 36" DR 41

Pipe <sup>+</sup> † [G]

PE 4710

WL Plastics SD /  
WLP SD

CSA B137.1

1/2" - 6" Series 50  
 1/2" - 6" Series 60  
 1/2" - 6" Series 75  
 1/2" - 6" Series 80  
 1/2"- 6" Series 100  
 1/2" - 6" Series 125  
 1/2"- 6" Series 200

\* These products also meet the requirements for PE 3408 per ASTM D3350-02a.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

† Product is authorized to bear the cNSF and/or the cNSFus Mark.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.