



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, February 13, 2020** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/Plumbing/Listings.asp?Company=oH060&>

NSF/ANSI 14 Plastics Piping System Components and Related Materials

[Click here for a list of End Use Code Designations.](#)

[Click on Product Standards or footnote in blue to view the referenced document](#)

WL Plastics Corporation

3575 Lone Star Circle
Suite 300
Fort Worth, TX 76177
United States
682-831-2727

Facility : Elizabethtown, KY

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe+ [G]	PE 4710	WL KY/ WLP KY	ASTM Plastics D3035
1/2" - 24" DR 7			
1/2" - 36" DR 9			
1/2" - 36" DR 9.3			
1/2" - 36" DR 11			
1/2" - 42" DR 13.5			
1/2" - 48" DR 15.5			
1/2" - 54" DR 17			
1/2" - 54" DR 21			

1/2" - 54" DR 26**1/2" - 54" DR 32.5**

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Pipe+ [1] [G]**PE 4710*

*WL AWWA
 Plastics C901
 KY/
 WLP
 KY*

3/4" - 3" SDR 7**3/4" - 3" SDR 7.3****3/4" - 3" SDR 9****3/4" - 3" SDR 11**

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
 [1] Special sizes may be acceptable for engineered applications, due to system conditions or special local requirements. It is the responsibility of the end user to ensure that the product is suitable for the intended application.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe + [G]**PE 3408/PE 4710*

*WL AWWA
 Plastics C906
 KY/
 WLP
 KY*

4" - 24" DR 7**4" - 24" DR 7.3****4" - 36" DR 9****4" - 36" DR 9.3****4" - 36" DR 11****4" - 42" DR 13.5****4" - 48" DR 15.5****4" - 54" DR 17****4" - 54" DR 21****4" - 54" DR 26****4" - 54" DR 32.5**

- * These products also meet the requirements for PE 3408 per ASTM D3350-02a.
- + Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
- [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe+ [G]

PE 4710

WL ASTM
 Plastics F714
 KY /
 WLP
 KY

3" - 24" DR 7
 3" - 24" DR 7.3
 3" - 24" DR 8.3
 3" - 36" DR 9
 3" - 36" DR 9.3
 3" - 36" DR 11
 3" - 42" DR 13.5
 3" - 48" DR 15.5
 3" - 54" DR 17
 3" - 54" DR 21
 3" - 54" DR 26
 3" - 54" DR 32.5
 3" - 54" DR 41

- + Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
- [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Rapid City, SD

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe+ [1] [G]	PE 4710	WL Plastics C901 SD /	AWWA

WLP

SD

3/4" - 3" SDR 7
3/4" - 3" SDR 7.3
3/4" - 3" SDR 9
3/4" - 3" SDR 11

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[1] Special sizes may be acceptable for engineered applications, due to system conditions or special local requirements. It is the responsibility of the end user to ensure that the product is suitable for the intended application.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe* + [G]

PE 3408/PE 4710

WL AWWA

Plastics C906

SD /

WLP

SD

4" - 24" DR 7
4" - 36" DR 7.3
4" - 36" DR 9
4" - 36" DR 9.3
4" - 36" DR 11
4" - 42" DR 13.5
4" - 48" DR 15.5
4" - 54" DR 17
4" - 54" DR 13.5
4" - 54" DR 21
4" - 54" DR 26
4" - 54" DR 32.5

* These products also meet the requirements for PE 3408 per ASTM D3350-02a.

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe+ [G]

PE 4710

WL ASTM

Plastics D3035

SD /

WLP

SD

1/2" - 24" DR 7

1/2" - 36" DR 9
1/2" - 36" DR 9.3
1/2" - 36" DR 11
1/2" - 42" DR 13.5
1/2" - 48" DR 15.5
1/2" - 54" DR 17
1/2" - 54" DR 21
1/2" - 54" DR 26
1/2" - 54" DR 32.5

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe+ [G]

PE 4710

WL ASTM
 Plastics F714
 SD /
 WLP
 SD

3" - 24" DR 7
3" - 36" DR 7.3
3" - 36" DR 8.3
3" - 36" DR 9
3" - 36" DR 9.3
3" - 36" DR 11
3" - 36" DR 13.5
3" - 48" DR 15.5
3" - 54" DR 17
3" - 54" DR 21
3" - 54" DR 26
3" - 54" DR 32.5
3" - 54" DR 41

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Cedar City, UT

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Pipe+ [G]</i>	<i>PE 4710</i>	<i>WL</i>	<i>ASTM Plastics D3035 UT/ WLP UT</i>
1/2" - 24" DR 7			
1/2" - 36" DR 9			
1/2" - 36" DR 9.3			
1/2" - 36" DR 11			
1/2" - 42" DR 13			
1/2" - 48" DR 15.5			
1/2" - 54" DR 17			
1/2" - 54" DR 21			
1/2" - 54" DR 26			
1/2" - 54" DR 32.5			

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Pipe+ [1][G]</i>	<i>PE 4710</i>	<i>WL</i>	<i>AWWA Plastics C901 UT/ WLP UT</i>
3/4" - 3" SDR 7			
3/4" - 3" SDR 7.3			
3/4" - 3" SDR 9			
3/4" - 3" SDR 11			

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[1] Special sizes may be acceptable for engineered applications, due to system conditions or special local requirements. It is the responsibility of the end user to ensure that the product is suitable for the intended application.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe + [G]**PE 3408/PE 4710*

WL AWWA
 Plastics C906
 UT/
 WLP
 UT

4" - 24" DR 7
 4" - 36" DR 7.3
 4" - 36" DR 9
 4" - 36" DR 9.3
 4" - 36" DR 11
 4" - 42" DR 13.5
 4" - 48" DR 15.5
 4" - 54" DR 17
 4" - 54" DR 21
 4" - 54" DR 26
 4" - 54" DR 32.5

* These products also meet the requirements for PE 3408 per ASTM D3350-02a.

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Pipe+ [G]**PE 4710*

WL ASTM
 Plastics F714
 UT/
 WLP
 UT

3" - 24" DR 7
 3" - 36" DR 7.3
 3" - 36" DR 8.3
 3" - 36" DR 9
 3" - 36" DR 9.3
 3" - 36" DR 11
 3" - 42" DR 13.5
 3" - 48" DR 15.5
 3" - 54" DR 17
 3" - 54" DR 21
 3" - 54" DR 26
 3" - 54" DR 32.5
 3" - 54" DR 41

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Number of matching Manufacturers is 1

Number of matching Products is 115

Processing time was 0 seconds